
Addendum Number	2
Addendum Date of Issue	March 09, 2020
RFP Number	20045
RFP Description	Plumbing Sanitary Replacement at 275, 285 & 295 Shuter Street
Page(s):	1
Attachment(s):	0

This Addendum forms part of the above mentioned RFP document and is to be read, interpreted, and coordinated with all other parts. The following revisions supersede the information contained in the original RFP documents issued for the above-named project to the extent referenced and shall become part thereof.

The following information supplements and/or supersedes the RFP document issued on **February 10, 2020**.

A. CLARIFICATIONS

1. TCHC will accept kitchen surface mount lightings, kitchen under cabinet and bathroom lights with equivalent specifications to the models included in Addendum 1. Proponents must ensure selected fixtures are for residential spaces, not commercial. We recommend to have fixtures that are fully integrated LED within suites only if the tenants have the ability to adjust the colour temperature. Proponents may use the following specifications in their Proposal.
 - i. Kitchen area surface mount luminaire – 1'x4' surface mounted LED flat panel c/w 120volt dimming driver, accessible selectable lumens and cct switches and surface mount kit for a complete installation.
 - ii. Kitchen under-cabinet lighting – combination surface mounted under-cabinet LED luminaire in 1'-0" increments to fill entire length of cupboard. Luminaire to be c/w integral 120volt dimming driver, 3000k colour temperature, white finish, including all necessary hardware and accessories for a complete installation.
 - iii. Bathroom above vanity light – 4'-0" surface wall mounted LED luminaire above vanity c/w frosted wraparound lens, 3000k colour temperature, 2000 lumens, white finish and integral 120volt driver.

All other terms and conditions remain the same.

Bosan Mallam
Sourcing Specialist, Strategic Procurement

[End of Addendum #2]